

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 97/02039 (51) International Patent Classification 6: (11) International Publication Number: A1 A61K 33/24, 31/445, 31/44 // (A61K 23 January 1997 (23.01.97) (43) International Publication Date: 33/24, 31:445) (A61K 31/445, 31:44) (81) Designated States: JP, European patent (AT, BE, CH, DE, DK, PCT/EP96/02493 (21) International Application Number: ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). (22) International Filing Date: 7 June 1996 (07.06.96) **Published** With international search report. (30) Priority Data: 4 July 1995 (04.07.95) GB 9513551.3 (71) Applicant: PHARMACIA & UPJOHN S.P.A. [IT/IT]; Via Robert Koch, 1.2, I-20152 Milan (IT). (72) Inventors: ROSSI, Rosaria; Via Giacomo Leopardi, I, I-20039 Varedo (IT). JABES, Daniela; Via Costanza, 3, I-20146 Milan (IT). CASTELLANI, Paola; Via Monte Popera, 16/44, I-20138 Milan (IT).

(54) Title: ANTIBACTERIAL SYNERGISTIC COMPOSITION COMPRISING RIFABUTIN

(57) Abstract

Pharmaceutical anti-bacterial synergistic compositions against Helicobacter pylori, containing rifabutin and a proton pump inhibitor or a bismuth preparation.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

			,		
AM	Armenia	GB	United Kingdom	MW	Malawi
AŤ	Austria	GE	Georgia	MX	Mexico
ΑÜ	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	Œ	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	
BR	Brazil	KE	Kenya	RO	Portugal Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	
CF	Central African Republic		of Korea	SE	Sudan
CG	Congo	KR	Republic of Korea	SG	Sweden
CH	Switzerland	KZ	Kazakheran		Singapore
CI	Côte d'Ivoire	ü	Liechtenstein	SI	Slovenia
CM	Сатегоор	LK	Sri Lanka	SK	Slovakia
CN	China	LR	Liberia	SN	Senegal
CS	Czechoslovakia	LT	Lithuania	SZ	Swaziland
CZ	Czech Republic	LU	· ···-	TD	Chad
DE	Germany	LV	Luxembourg Latvia	TG	Togo
DK	Denmark	MC		ŦJ	Tajikistan
EE	Estonia		Monaco	TT	Trinidad and Tobago
ES	Spain	MD	Republic of Moldova	UA	Ukraine
FI	Finland	МG	Madagascar	UG	Uganda
FR	France	ML	Mali	US	United States of Americ
GA	Gabon	MN	Mongolia	UZ	Uzbekistan
U A	Gabon	MR	Mauritania	VN	Viet Nam

WO 97/02039 PCT/EP96/02493

- 1 -

ANTIBACTERIAL SYNERGISTIC COMPOSITION COMPRISING RIFABUTIN

The present invention relates to anti-bacterial pharmaceutical compositions against *Helicobacter pylori* and to their preparation.

5

10

15

20

Helicobacter pylori plays a main role in the pathogenesis of gastritis and peptic ulcer.

Known treatments include the use of amoxicilin or other antibacterial agents in dual or triple combination with other drugs, such as bismuth preparations, metronidazole, tinidazole or with proton pump inhibitors, e.g. omeprazole. Such combinations have a relatively short duration of action and require high doses and repeated administrations (3-4 times per day) owing to the pharmacokinetics or the low antibacterial activity of the antibiotic and its limited stability in the stomach.

We have discovered that a very effective treatment can be achieved by administration of a synergistic composition.

The present invention provides a pharmaceutical composition suitable for use in the treatment of a Helicobacter pylori infection, which composition comprises:

(I) rifabutin; and

(II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against Helicobacter pylori. WO 97/02039 PCT/EP96/02493

- 2

Rifabutin is the generic name of a chemical compound 4-deoxo-3,4-[2-spiro(N-isobutyl-4-piperidyl)-2,5-dihydro-1H-imidazo]-rifamycin S. Depending on the system used to name a chemical compound, it may also be identified as 6,9-dihydro-5,17, 19,21-tetrahydroxy-8,9-[2-spiro-(N-isobutyl-4-piperidyl)-2,5-dihydro-1H-imidazo]-23-methoxy -2,4,12,16,18,20,22-heptamethyl-6-oxo-2,7-(epoxypentadeca-[1,11,13]-trienimino) naphthol[2,1]-b furan-1,11-(2H)-dione-21-acetate; or (9S,12E, 14S,15R,16S, 17R,18R,19R,20S, 21S, 22E,24Z)-6,16,18,20-tetrahydroxy-1'-isobutyl-14-methyloxy-7,9,15,17,19,21,25-heptamethyl-spiro[9,4-(epoxypentadeca[1,11,13]trienimino-2H-furo[2',3',7,8]naphth[1,2-d]imidazole-2,4'-piperidine-5,10,26,(3H,9H)-trione-16-acetate.

15 Rifabutin has the structural formula

25

20

 $\texttt{Molecular formula:} C_{46}H_{62}N_4O_{11}$

Molecular Weight: 847.12

WO 97/02039 PCT/EP96/02493

- 3 -

The preparation of rifabutin is described in U.S.

Patent 4,219,478 issued on August 26, 1980. Rifabutin is a red violet powder soluble in chloroform and methanol, and very slighly soluble in water; it has a melting point of 148°C-156° (with decomposition).

5

10

15

20

25

A proton pump inhibitor is typically omeprazole, lansoprazole, leminoprazole, pantoprazole or robeprazole; a bismuth preparation is typically bismuth subsalicyclate or bismuth subcitrate sol (dried).

The pharmaceutical composition of the invention may further comprise a pharmaceutically acceptable carrier or diluent.

The pharmaceutical composition according to the present invention shows an excellent antibacterial activity, good oral bioavailability and stability at low pH, and it is therefore suited for the treatment of Helicobater pylori infections. It was found that the activity of the composition of the invention is greater than the sum of the individual components. A noticeable antibacterial synergistic effect is evident.

A pharmaceutical composition according to the invention possesses a good activity against Helicobacter pylori at small doses, which are insufficient when the components are used individually. Consequently, the combination of the two components according to the invention is more effective in the treatment of diseases caused by Helicobacter pylori, because it possesses a better therapeutic value than the individual antibiotic.

In addition, antibacterials should not be used as monotheraphy to avoid the emergence of resistant strains. This is particularly important for long term therapy.

The invention further provides a process for preparing the above mentioned composition, which process comprises mixing:

(I) rifabutin;

5

15

- (II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against
- 10 Helicobacter pylori; and
 - (III) optionally, a pharmaceutically acceptable carrier or diluent.

Suitable carriers or diluents are those conventionally used in pharmaceutical preparations. For example for tablets or capsules the carrier or diluent commonly comprises starches and binders and/or lubricants.

The present invention also provides a pharmaceutical composition as defined above for use in the treatment of a disease caused by Helicobacter pylori.

- The two components may be mixed immediately prior to administration. Then they be presented in a form suitable for combined administration in the treatment of disorders caused by Helicobacter pylori. The present invention therefore also provides products comprising:
- 25 (I) rifabutin; and
 - (II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against Helicobacter pylori;

as a combined preparation for simultaneous, separate or sequential use in the treatment of a Helicobacter pylori infection.

The daily doses of individual components in compositions according to the invention are lower as compared to the active doses of the individual components, when used without the other component. The weight ratio of rifabutin to proton pump inhibitor or bismuth preparation is generally from 1:100 to 100:1. Where the composition of the invention comprises rifabutin and a proton pump inhibitor, the weight ratio of rifabutin:proton pump inhibitor is typically from 25:1 to 5:1. Where the composition comprises rifabutin and a bismuth preparation, the weight ratio of rifabutin:bismuth preparation is typically from 1:10 to 10:1. Typically, for adults (70 kg) the daily doses of rifabutin ranges from 100 to 1000 mg, preferably from 200 to 500 mg, more preferably 300 mg.

The daily dose of the proton pump inhibitor is from 1 mg to 1000 mg, preferably from 10 to 100 mg and the daily dose for the bismuth preparation is from 50 mg to 5000 mg, preferably from about 50 mg to about 1000 mg.

The combination of rifabutin and a proton pump inhibitor or bismuth preparation may be used in the treatment of gastrointenstinal disorders in a living being particularly a human.

In vitro bactericidal activity

5

10

15

20

25

Tests were carried out on several strains of

Helicobacter pylori according to CZINN S. et al.

Antimicrobial Agents Chemoter 30, 328-329, 1986 and Clinical

5

Microbiology Procedure Handbook, Isenberg H.D. ed. ASM 1992 (modified).

In the following tables is reported the activity of rifabutin, omeprazole and bismuth subcitrate sol (BSM) as single drug and in combination, on selected *H. pylori* strains.

The first example concerns the activity of rifabutin and BSM , the second one concerns the activity of rifabutin and omeprazole.

As shown in the tables, the inhibiting drug concentrations are lower when drugs are combined together.

Example 1

Combination of rifabutin and bismuth subcitrate sol. Helibacter pylori strain 46.

.5 rifabut	in (μg/ml)	BSM (µg/ml)	effect
0	.0037	-	MIC*
	- ·	4	MIC
0	.0009	0.5	SYN*
0.	00045	1	SYN
o			

Helicobacter pylori strain 34

rı	fabutin (μg/ml)	BSM (µg/ml)	effect
	0.0075	-	MIC
	-	4	MIC
5	0.0018	0.5	SYN
	0.0009	1	SYN

- ,

Helicobacter pylori strain 13

	rifabutin (μg/ml)	BSM (µg/ml)	effect
-	0.0075		MIC
-	7 -	2	MIC
5	0:0018	0.5	SYN

* MIC: minimal inhibitory concentration

** SYN: inhibited at subMIC concentrations

Example 2

10 Combination of rifabutin and omeprazole

Helicobacter pylori strain 35

ſ	rifabutin (μg/ml)	omeprazole (µg/ml)	effect
ŀ	0.0037	-	MIC
Ì	-	64	MIC
15	0.0009	4	SYN
}	0.00045	16	SYN
	0.00022	16	SYN

Helicobacter pylori strain 50

20	rifabutin (μg/ml)	omeprazole (µg/ml)	effect
	0.0075	<u>-</u>	MIC
	-	32	MIC
	0.0018	4	SYN
	0.0018	2	SYN
25	rifabutin (μg/ml)	omeprazole (µg/ml)	effect
	0.0009	8	SYN

- 8 -

rifabutin (μg/ml)	omeprazole (µg/ml)	effect
0.0075	-	MIC
, -	64	MIC
0.0018	2	SYN
0.0009	. 8	SYN
0.00045	16	SYN
0.00022	16	SYN

Helicobacter pylori.

CLAIMS

- 1. A pharmaceutical composition suitable for use in the treatment of a *Helicobacter pylori* infection, which composition comprises:
- (I) rifabutin; and
 (II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against
- 2. A pharmaceutical composition according to claim 1 further comprising a pharmaceutically acceptable carrier or diluent.
- 3. A pharmaceutical composition according to claim 1 or 2,
 wherein the proton pump inhibitor is selected from
 omeprazole, lansoprazole, leminoprazole, pantoprazole or
 robeprazole; or the bismuth preparation is selected from
 bismuth subsalicyclate or bismuth subcitrate sol (dried).
- 20 4. A pharmaceutical composition according to claim 3 wherein the proton pump inhibitor is omeprazole or the bismuth preparation is bismuth subcitrate sol (dried).
- 5. A process for preparing a pharmaceutical composition according to any one of claims 1 to 4, which process comprises mixing:
 - (I) rifabutin;
 - (II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against

Helicobacter pylori; and

- (III) optionally, a pharmaceutically acceptable carrier or diluent.
- 5 6. A pharmaceutical composition as defined in any one of claims 1 to 4 for use in the treatment of a Helicobacter pylori infection.
- 7. A pharmaceutical composition according to claim 6 for use in the treatment of gastritis or peptic ulcers.
 - 8. Use, in the manufacture of a medicament for use in the treatment of a Helicobacter pylori infection, of:
 - (I) rifabutin; and
- (II) a proton pump inhibitor or a bismuth preparation; component (II) being present in an amount producing a synergistic activity against Helicobacter pylori.
- The use according to claim 8 wherein the medicament is
 for use in the treatment of gastritis or peptic ulcers.
 - 10. Products containing:
 - (I) rifabutin; and
- (II) a proton pump inhibitor or a bismuth preparation in a quantity producing a synergistic activity against Helicobacter pylori;

as a combined preparation for simultaneous, separate or sequential use in the treatment of a Helicobacter pylori infection.

INTERNATIONAL SEARCH REPORT

Inten. ...nal Application No PCT/EP 96/02493

			,
A. CLASSII IPC 6	FICATION OF SUBJECT MATTER A61K33/24 A61K31/445 A61K31/ (A61K31/445,31:44)	44 //(A61K33/24,31:4	45),
According to	o International Patent Classification (IPC) or to both national class	afication and IPC	
	SEARCHED		
Minimum do IPC 6	ocumentation searched (classification system followed by classification A61K	agon symbols)	
Documentati	ion searched other than minimum documentation to the extent that	such documents are included in the fields s	earched
Electronic da	ata base consulted during the international search (name of data b	ase and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
Y	J. ANTIMICROB. CHEMOTHER., vol. 35, no. 4, April 1995, ENGL pages 545-549, XP000600927 J.HOLTON ET AL.: "the susceptibe helicobacter pylori to the rifamin" *cf. page 545, introduction, 3rd page 546, 2nd and 3rd paras.*	oility of mycin	1-10
Y	AM. JOURNAL OF GASTROENTEROL., vol. 89, no. 8, 1994, 1ST MED. 0 BOLOGNA ITL, page 1382 XP000603245 M. MENEGATTI ET AL.: "rifaximing suspension for the eradication of the helicobacter pylori" *cf. abstract no 389*	1	1-10
		-/	
X Furt	ther documents are listed in the continuation of box C.	Patent (amily members are listed	in annex.
'A' docum	stegories of cited documents: nent defining the general state of the art which is not dered to be of particular relevance	T later document published after the in or priority date and not in conflict w cited to understand the principle or invention	NO DE SUPPLICATION OU
"E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another		"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the	
O, qocm	on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or means	document is combined with one or i ments, such combination being obvi in the art.	MULE OUTST STICTH COCCE.
later 1	nent published prior to the international filing date but than the priority date claimed	*&* document member of the same pater Date of mailing of the international	
_	e actual completion of the international search 2 October 1996	0 5. 11. 96	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer	
	NL - 2280 HV Ripwijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+ 31-70) 340-3016	Stoltner, A	

INTERNATIONAL SEARCH REPORT

Inten anal Application No PCT/EP 96/02493

			EP 96/02493	
	nuation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.	
٧,٧	CLIN. INFECTIOUS DISEASES, vol. 22, no. suppl. 1, 1996, UNIVERSITY OF CHICAGO, pages s3-s14, XP000600925 KUNIN, C. M.: "antimicrobial activity of rifabutin" *cf. abstract, page s9, left col., para.		1-10	
,	5, right col., summary 1st para.* * see reference No 115 (Rossi et al.) *		1-10	
	•			
	·			
,				
	*			
	·			
	•			
İ	*			
ļ				
	<u></u>			